

Precision Ladders manufacturers a fire-rated version of the Super Simplex that is the original fire-rated attic stair. Many states and municipalities have now adopted IBC 406.1.4, 711.3.2 and IFC 315.2.4. This means any new Fire-Rated ceiling that requires an attic ladder needs a Fire-Rated Super Simplex!

[Click Here To View IBC Adoptions By State](#)



[Click Here To View A Super Simplex Video Demo](#)

The Precision Ladders Super Simplex was lab tested by Intertek and granted a Warnock Hersey label. Tested to ASTM E119 and UBC 43-7 up to a 2 Hour Rating.



Warnock Hersey



[Click Here To View Super Simplex Fire Test Images](#)

[Click Here To View Details, Specifications, & CAD Files](#)

[Click Here To View The Non-Rated Super Simplex Page](#)

Precision Ladders also produces a line of other products to be used with its stairways:



Fold Assists

Precision Ladders offers fold assists that allow for folding & unfolding of the stairway with a minimal amount of force.

Roof Hatches



Safety Rails



[Return To Home Page](#)



About Williams Brothers

What's New

Access Doors

General Purpose Access Doors

Fire Rated Access Doors

Special Use & Security Access Doors

Available Optional Accessories

WB Custom Special Options

Fire Protection & Flammable Storage

Commercial Roof & Floor Access Hatches

Residential Basement Access Doors

Commercial/Residential Access Ladders

Specialty Items

Centurion Portable Fire Extinguisher Stand

Architectural Specification Forms

Submittal Sheets

Cross Reference Guide

Certifications & Approvals (PDF)

Downloads

Site Map

Angie's Kitchen

Strike First
Corporation of
America [Click HERE](#)

WB Super Simplex Disappearing Stairway

Introducing Our New Disappearing Attic or Roof Access Ladder. By Precision Ladders, LLC

Construction Specifications:

- Customized construction for any job
- Cut to the exact finished ceiling height
- Meets requirements of A.N.S.I. A14.9-2004 for "Commercial" or "Residential" use
- Test weight of 500 Lbs
- Individual tread test weights of 1000 Lbs
- Actual shear of rivets tested to 1175 Lbs
- Steel frame
- Extruded aluminum treads and side rails
- 5 3/16" x 19 1/2" clear tread area
- Ceiling heights up to 13' 6"


Options:

- Available Non-Rated and Rated with 2 hour fire-rating for ceilings up to 13' 6"
- Lock on door panel (std on fire-rated unit)
- Special deep frame to accommodate dropped ceiling finishes (on non-rated units only)
- 2 hour fire-rated Warnock Hersey label that meets ASTM-E-119 and UBC 43-7 requirements, passed 250o temperature rise in the first 30 minutes
- Fold-Assist (STD on units 9'-10' and taller)
- More disappearing ladder styles, Rated or Non-Rated, are available upon request. Call for a quote.

Fire-Rated Pictured:



[Send To A Friend](#) [WB Super Simplex Disappearing Stairway](#)



LOAD RATING - 500 LBS.

LADDER LEGEND

- 1. STEEL PIANO DOOR HINGE
- 2. DOUBLE SPRING ACTION
- 3. SIDE RUNNER 5" ALUM.
- 4. BATTEN 1/8" ALUM.
- 5. DOOR PANEL 1/8" ALUM.
- 6. STEEL BOX FRAME
- 7. TREAD (SERRATED ALUM.)
- 8. HANDRAIL BOTH SIDES
- 9. EXTRA HEAVY OPERATING ARM
- 10. ADJUSTABLE FOOT
- 11. MIDDLE SECTION
- 12. BOTTOM SECTION
- 13. FOLD-ASSIST

Williams Brothers Corporation
Corporate Office
1330 Progress Drive
Front Royal, Virginia 22630

Western Distribution Center
4058 S. McCarran Blvd.
Bldg. A • Reno Nevada 89502

Toll Free Phone 800 255-5515
Phone 540 636-4444
Toll Free Fax 800 822-5001
Fax 540 636-4455