

A true solution to an all too common failure



Introducing the Ultimate Pipe Flashing™



Our proprietary compression collar prevents the boot from the inevitable relaxation from the pipe. The 100% ultra-pure silicone prevents the cracking and splitting found in other products, and the oval shape takes the pitch problems out of the equation. Add the 24 gauge Kynar® coated galvanized steel plate with generous flashing and you have a product that will *actually* last the life of the roof. Guaranteed.

877-904-1002
www.lifetimetool.com



LIFETIME TOOL &
BUILDING PRODUCTS LLC



“ULTIMATE PIPE FLASHING”

- Proprietary compression collar prevents inevitable relaxation away from pipe
- Premium time-tested materials
 - Ultra-pure high consistency molded Silicone Rubber
 - UV Stable solid molded PVC compression collar
 - Kynar® PVDF coated 24 gauge galvanized sheet metal
 - A lubricant towelette is supplied to aid in installation
- *Ideal for the aggressive marine environment*
- Generous perimeter flashing allows for proper sealing. Ample 4” of flashing on each side, 6” at the top, 3” on the bottom, all minimums from the embodiment
- Plate flanges have nailing slots for ease of installation
- Accommodates flat 0/12 to very steep slopes 18/12+
- A sustainable lifelong product fulfilling green goals by design
- Precision assembly - each unit is designed specifically to fit PVC, ABS & IP. Available to fit 1 ¼”, 1½”, 2”, 3”, 4”
- For Copper, Cast Iron, irregular & damaged pipes, use the EasySleeve™
- Patent Number D662230, other patents pending

Independent Laboratory Testing:

Testing performed and certified @ Farabaugh Engineering and Testing, Inc., McKeesport, PA.
See website for details.

- ASTM E2140 - Water Test
- ASTM E330 - Uniform Structural Load Test
- ASTM E-283-04 - Air Leakage Test
- ASTM E-331-00 - Water Penetration Test
- FM 4471 - Dade Co. 7 Day Submersion Test
- ASTM-B117-09 - Salt Spray Apparatus Test
- TAS 100-95 - Wind & Wind Driven Rain Test

This new flashing product is a precision assembly designed to provide a durable and sustainable seal as well as accommodating a wide range of covering materials and roof slopes. The design uses a patented pipe seal concept combining two stretch rings molded into the Silicone flex-boot and a solid UV stable PVC compression collar part. Molded to exacting specifications to ensure the longest life attainable, providing uniform compression over thermal gradients. This novel “Triple Seal” design eliminates the potential for water ingress and allows pipe movement due to thermal changes without any differential stress applied to the seal. This new part is easy to install and requires no special tools or complicated training.

Lifetime Tool & Building Products LLC
250 Airport Rd., Winchester, VA 22602
877-904-1002

Warranty Information:

All Lifetime Tool & Building Products LLC, are warranted against defects in materials and workmanship when correctly installed in an appropriate application for the life of the original roofing material from the date of installation or replacement. This warranty is limited to replacement of the defective product only and specifically excludes costs arising from labor or other damages.

ULTIMATE PIPE FLASHING™			EASYSLEEVE™		
PVC·ABS·IP	O.D.	ULTIMATE	COPPER	CAST IRON	EASY SLEEVE
1 ¼" PVC	1.66"	125			
1 ½" PVC	1.90"	150	1 ¼" & 1 ½"		150
2" PVC	2.375"	200	2"	1 ½"	200
3" PVC	3.50"	300	3"	2"	300
4" PVC	4.50"	400	4"	3"	400

Note: Use same number flashing as sleeve



EASYSleeve™

patents pending

The Retrofit Solution for Copper & Cast Iron Pipe Flashings



Failed flashing...dog ugly pipe...gone in a snap



The EasySleeve™ now makes it possible to have the best pipe flashing components available on site to deal with almost any and all pipe penetrations including those that are damaged, worn or irregular sized. When used with the Ultimate Pipe Flashing™, the EasySleeve™ provides a lifetime solution.



The EasySleeve™ & Ultimate™
Patents Pending

NEW! EASYFit™

The Retrofit Solution for 4" Cast Iron

Flashing 4" Cast Iron is now quick and cost effective with the EasyFit™. The EasyFit™ comes ready to go. Simply cut the pipe flush or below the roof deck & apply a fat bead of urethane caulk for added support. Insert the EasyFit™ and you're ready to install the Ultimate Pipe Flashing™.



The EasyFit™
Patents Pending



www.lifetime.com

877-904-1002

Proudly 100% Made in the USA!